

WHAT IS CLAIMED IS:

1. An electronic apparatus comprising:  
a casing; and  
a speaker unit located in the casing,  
5 the speaker unit including a cabinet, a speaker  
arranged in the cabinet and exposed to the outside of  
the cabinet, and a port which is defined in the cabinet  
to open the outside of the cabinet and through which  
a sound emitted from the backside of the speaker into  
10 the cabinet is radiated outward from the cabinet,  
the speaker being exposed to the outside of the  
casing through an opening defined in an outside wall of  
the casing, and the port of the speaker unit opening  
into the casing.
- 15 2. An electronic apparatus according to claim 1,  
wherein the cabinet has a top face in contact with  
an inner surface of the outside wall of the casing and  
a protrusion protruding from the top face and passed  
through the opening in the outside wall, and the  
20 speaker is located in the cabinet so as to be exposed  
to the protrusion.
3. An electronic apparatus according to claim 1,  
which further comprises a display unit having a display  
panel and connected to the casing, and a keyboard  
25 attached to the casing.
4. An electronic apparatus comprising:  
a casing; and

a pair of speaker units, left and right, located in the casing,

each of the speaker units including a cabinet, a speaker arranged in the cabinet and exposed to the outside of the cabinet, and a port which is defined in the cabinet to open the outside of the cabinet and through which a sound emitted from the backside of the speaker into the cabinet is radiated outward from the cabinet,

the speaker being exposed to the outside of the casing through an opening defined in an outside wall of the casing, and the port of the speaker unit opening into the casing.

5. An electronic apparatus according to claim 4, wherein the respective cabinets of the speaker units have different capacities.

6. An electronic apparatus according to claim 4, wherein the speaker units are arranged in the casing with the respective ports thereof opposed to each other.

7. An electronic apparatus according to claim 4, wherein the speaker units are arranged in the casing with the respective ports thereof oriented in the same direction.

8. An electronic apparatus according to claim 4, wherein the cabinet of each speaker unit has a top face in contact with an inner surface of the outside wall

and a protrusion protruding from the top face and passed through the opening in the outside wall, and the speaker is located in the cabinet so as to be exposed to the protrusion.

- 5           9. An electronic apparatus according to claim 4, which further comprises a display unit having a display panel and connected to the casing, and a keyboard attached to the casing.